

Direct-Lighting











www.direct-lighting.com
 Tel: (888)628-8166
 Email: Service@Direct-Lighting.com

<u>PROJECT</u>
<u>CONTACT (NAME/TEL)</u>

H System Single Circuit Track System 120V

Power Feeds

 	<p><u>HT-50083 Live End Connector</u></p> <p>Allows track to be powered at the end of the track. Bottom knockout allows direct feed with electrical connector.</p> <p>Available in WH / BK / BS / DB / RU</p>
 	<p><u>HT-50106 Live End Connector with Junction Box Cover</u></p> <p>Live End Connector with outlet box cover. Allows track to be powered at the end of the track.</p> <p>Available in WH / BK / BS / DB / RU</p>
 	<p><u>HT-50085 Live End Conduit Fitter</u></p> <p>Allows track to be powered at the end of the track.</p> <p>Available in WH / BK / BS / DB / RU</p>
 	<p><u>HT-50090 Floating Feed Canopy</u></p> <p>Connect it to the junction box, and allows track to be powered anywhere along the track.</p> <p>Available in WH / BK / BS / DB / RU</p>

Direct-Lighting



www.direct-lighting.com
 12182 Santa Margarita Ct
 Rancho Cucamonga, CA 91730
 Tel: (888)628-8166 Fax: (909)673-0811
 Email: Service@Direct-Lighting.com

<u>PROJECT</u>
<u>CONTACT (NAME/TEL)</u>

		<p><u>HT-50111 Conduit Fitter Continuation Kit</u></p> <p>Pair with reverse polarity, includes one left and one right. Allows for continuation of a run (jump track).</p> <p>Available in WH / BK</p>
		<p><u>HT- 50114 Live End Continuation Pair Connector</u></p> <p>Pair with reverse polarity, includes one left and one right. Allows for continuation of a run (jump track).</p> <p>Available in WH / BK</p>
		<p><u>HT-50088 18FT Cord and Plug Set</u></p> <p>Plug-in power feed. No additional wiring required for installation. Provides the most flexibility in trade show and temporary arrangement. 3 prongs, 16 gauge cord with 18 feet long</p> <p>Available in WH / BK</p>
Connectors		
		<p><u>HT-50095 Straight Connector w/o power entry</u></p> <p>Straight connector without power entry. Join 2 tracks together while sharing the same power source</p> <p>Available in WH / BK / BS / DB / RU</p>

Direct-Lighting



www.Direct-Lighting.com
 12182 Santa Margarita Ct
 Rancho Cucamonga, CA 91730
 Tel: (888)628-8166 Fax: (909)673-0811
 Email: Service@Direct-Lighting.com

<u>PROJECT</u>
<u>CONTACT (NAME/TEL)</u>

		<p><u>HT-50092 Straight connector with power entry</u></p> <p>Straight connector with power entry. Join 2 tracks together while sharing the same power source. Can also be use a power entry.</p> <p>Available in WH / BK</p>
		<p><u>HT-50093 Flexible Connector</u></p> <p>Joins 2 track sections at variable angles. Can bend from 45 degree to 315 degree.</p> <p>Available in WH / BK</p>
		<p><u>HT-50084 L-Shaped Connector</u></p> <p>L-shaped connector with power entry. Joins 2 track sections and make a 90 degree run. Can also be used as a power entry.</p> <p>Available in WH / BK</p>
		<p><u>HT-50091 T-Shaped Connector</u></p> <p>Join 3 track sections to make a "T" shaped configuration.</p> <p>Available in WH / BK</p>

Direct-Lighting



www.Direct-Lighting.com
 12182 Santa Margarita Ct
 Rancho Cucamonga, CA 91730
 Tel: (888)628-8166 Fax: (909)673-0811
 Email: Service@Direct-Lighting.com

<u>PROJECT</u>
<u>CONTACT (NAME/TEL)</u>

		<p><u>HT-50091L T-Shaped Connector with Left-hand polarity</u></p> <p>Join 3 track sections to make a "T" shaped configuration. Recommend to get this part with #50091 if you want to make an H-shaped configuration.</p> <p>Available in WH / BK</p>
		<p><u>HT-50094 X-Shaped Connector with power entry</u></p> <p>Join 4 track sections to make a "X" shape configuration. The connector has two L-shaped internal wires. It needs to add two jumpers to convert to internal X connector.</p> <p>Available in WH / BK</p>