



|                           |
|---------------------------|
| <u>PROJECT</u>            |
| <u>CONTACT (NAME/TEL)</u> |

## **Integrated LED Projection Lens Track Lighting Fixture 50908**



| <b>PRODUCT DESCRIPTION</b>   |  |
|--|--|
| <ul style="list-style-type: none"> <li>• Integrated long lasting COB LED chips.</li> <li>• Consistent, crispy bright-white light source.</li> <li>• Energy efficient and Environmental friendly.</li> <li>• Projection Lens - use the projection cylinder to form different beams for your projects.</li> <li>• Sturdy side knobs to enable the fixture stay and locked in place.</li> <li>• Stamping steel construction.</li> <li>• Track head be turned in 90°± vertical projecting and 350° horizontal rotation.</li> </ul> |  |

| <b>SPECIFICATION</b>     |   |
|--------------------------|---|
| <b>Description</b>       | Integrated Projection Lens Track Lighting Fixture |
| <b>Wattage</b>           | 13W (equivalent to 50W halogen)                   |
| <b>Voltage</b>           | 120V  |
| <b>LED Chip</b>          | COB (Chip-on-Board)                               |
| <b>Color Temperature</b> | 3000K (Warm White)                                |
| <b>Lumens</b>            | 800 (≈ 61 lumen/watt)                             |
| <b>CRI</b>               | 90  |
| <b>Beam Angle</b>        | Flood (FL) 38°                                    |
| <b>Dimmable</b>          | Approved with Lutron #DVCL-153P dimmer            |
| <b>Average Life</b>      | 40,000 Hours (80% decay at 25,000 hrs.)           |
| <b>Finish</b>            | White(WH), Black(BK)                              |
| <b>Rating</b>            | ETL Listed  |

| <b>Ordering Information</b> |       |         |
|-----------------------------|-------|---------|
| System                      | Model | Finish  |
| HT*, HT2, JT                | 50908 | WH / BK |

\*"Pull-up" contact to up position for two-circuit application

Ordering Examples: HT-50908-WH, HT-50908-BK, JT-50908-BK

*Product specifications subject to change without notice.*